

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	6	"6,285,235"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/21 17:00
S2	5	"5,751,052"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/21 17:01
S3	5	"5,818,281"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/21 17:01
S4	0	"10759,690"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/21 17:06
S5	1	"10/759,690"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/21 17:06
S6	6	"6,630,805"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/21 17:09
S7	6	"6,759,835"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/21 17:09

S8	13	"3,970,869"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/21 17:10
S9	6	"3,727,148"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/21 17:10
S10	22	"4,365,171"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/21 17:11
S11	1	10/759,690	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/07 12:08
S12	1771	current with rate with protect\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/07 12:53
S13	129	(over adj current or overcurrent or over- current) same current with rate with protect \$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/07 12:54
S14	129	(over adj current or overcurrent or over- current) same current with rate with protect \$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/07 12:54
S15	52	(over adj current or overcurrent or over- current) same current near3 rate with protect \$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/07 13:00

S16	44	(over adj current or overcurrent or over-current) same current near2 rate with protect \$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/07 13:01
S17	6	"6,285,235"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/07 13:33
S18	1	10/759,690	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/07 13:51
S19	4	capacitor with transistor and (over adj current or overcurrent or over-current) same current near2 rate with protect \$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/07 13:58
S20	0	capacitor with (over adj current or overcurrent or over-current) same current near2 rate with protect \$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/07 13:59
S21	2	capacitor same (over adj current or overcurrent or over-current) same current near2 rate with protect \$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/07 13:59
S22	3	("5111373" "5177677" "5187652").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/07/07 14:11
S23	13	("5654882").URPN.	USPAT	OR	OFF	2008/07/07 14:13
S24	13	("5654882").URPN.	USPAT	OR	OFF	2008/07/07 14:14
S25	4	inverter with capacitor with (over adj current over-current oevrcurrent) with protect\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/07 15:37

S26	25	inverter with capacitor same(over adj current over-current oevrcurrent) with protect\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/07 15:41
S27	474	(over adj current over-current oevrcurrent) with protect\$3 with transistor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/07 16:13
S28	351	(over adj current over-current oevrcurrent) near3 protect\$3 with transistor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/07 16:13
S29	121	(over adj current over-current oevrcurrent) near3 protect\$3 near3 transistor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/07 16:14
S30	105	(over adj current over-current oevrcurrent) near2 protect\$3 near3 transistor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/07 16:14
S31	74	(over adj current over-current oevrcurrent) near2 protect\$3 near2 transistor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/07 16:14
S32	64	(over adj current over-current oevrcurrent) near protect\$3 near2 transistor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/07 16:14
S33	40	(over adj current over-current oevrcurrent) near protect\$3 near transistor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/07 16:14

S34	2	(over adj current over-current ovevrcurrent) near3 protect\$3 near3 transistor same rate with (current voltage)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/07 16:15
S35	2	(over adj current over-current ovevrcurrent) near3 protect\$3 near3 transistor same rate with (current voltage)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/07 16:15
S36	1	(over adj current over-current ovevrcurrent) near3 detect\$3 with RC with transistor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/07 16:19
S37	1	(over adj current over-current ovevrcurrent) near3 detect\$3 same RC with transistor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/07 16:20
S38	14	(over adj current over-current ovevrcurrent) near3 detect\$3 same RC	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/07 16:20
S39	6	"6,285,235"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/07 17:12
S40	5	"5,751,052"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/07 17:14
S41	10	"3202319"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/07 20:49

S42	6	"6,285,235"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/07 21:00
S43	5974	inverter with transistor with capacitor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/07 21:39
S44	4	inverter with transistor with capacitor with (over adj current over- current overcurrent) with protect\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/07 21:39
S45	10	"3202319"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/08 11:25
S46	7	"2831495"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/08 11:48
S47	6	"3,727,148"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/08 14:48
S48	5	"5,818,281"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/08 15:50
S49	72	"5,210,519"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/08 20:38

S50	8	"3,056,037"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/08 20:40
S51	8	"4,823,096"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/08 20:44
S52	0	coil with self adj resonance with communication near2 band	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 09:50
S53	283	coil with self adj resonance	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 09:50
S54	26	coil with self adj resonance with band	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 09:51
S55	14	coil with low with self adj resonance same band	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 10:12
S56	38	communication and coil with gauge with low	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 10:35
S57	0	communication and coil with gauge with low same surge	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 10:35

S58	0	communication and coil with gauge with low and surge	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 10:36
S59	38	communication and coil with gauge with low	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 10:36
S60	7	communication and coil with gauge near3 low	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 10:36
S61	27	coil with gauge near3 low	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 10:37
S62	1	coil with gauge near3 low same surge	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 10:37
S63	0	coil with gauge near3 low same over adj current	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 10:38
S64	37	communication and coil same gauge near3 low	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 10:39
S65	23	communication and coil same gauge near2 low	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 10:40

S66	4	communication and coil same wire with gauge near2 low	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 10:41
S67	19	coil same wire with gauge near2 low	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 10:42
S68	0	coil same wire with gauge near2 low and surge	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 10:43
S69	0	coil same wire with gauge near2 low and over adj current	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 10:43
S70	0	coil same wire with gauge near2 low and over adj voltage	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 10:43
S71	407	coil same wire with gauge near2 (low heavy small)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 10:44
S72	186	coil same wire with gauge near2 (low small)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 10:44
S73	4	coil same wire with gauge near2 small and surge	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 10:45

S74	22	coil same wire with gauge near 2 small with current	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 10:47
S75	15	"4,675,579"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 10:58
S76	1	"57181237"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 11:02
S77	0	"570181237"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 11:03
S78	0	"057181237"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 11:03
S79	9002	power near line with communication	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 11:13
S80	243835	power near line with communication and current near transformer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 11:14
S81	358	power near line with communication and current near transformer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 11:14

S82	13	power near line with communication and current near transformer and (spark near gap or gas near tube)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 11:16
S83	75	current near transformer with (spark near gap or gas near tube)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 11:27
S84	23	"4,347,540"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 11:33
S85	6	(spark near gap or gas near tube) with compar \$4 with (varistor mov)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 11:41
S86	0	(spark near gap or gas near tube) with "vs" with (varistor mov)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 11:48
S87	0	(spark near gap or gas near tube) with equivalen\$2 with (varistor mov)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 11:48
S88	1	(spark near gap or gas near tube) with equivalen\$2 with (varistor mov)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 11:56
S89	24	fuse with (coil chock solenoid) with resonance	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 12:42

S90	714	fuse with capacitance	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 12:46
S91	17	fuse with stray near capacitance	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 12:46
S92	68	fuse with parasitic near capacitance	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 12:49
S93	272	fuse with resistance with range	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 13:13
S94	69	fuse with resistance near range	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 13:14
S95	20	fuse near2 resistance near range	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 13:14
S96	1	11/500,259	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 13:18
S97	289	switch near3 parallel with (reliability or MTBF or failure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 13:53

S98	289	switch near3 parallel with (reliability or failure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 13:53
S99	49	switch near3 parallel near3 (reliability or failure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 13:53
S100	33	switch near2 parallel near3 (reliability or failure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 13:54
S101	20	("3201701" "3226569" "3543048" "3593307" "3795823" "3798556" "3806714" "3840753" "3859513" "4054803" "4105900" "4125055" "4154395" "4185210" "4185245" "4519025" "4525635").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/07/09 14:00
S102	301	switch with redundan \$2 near3 (reliability or failure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 14:07
S103	131	switch near2 redundan \$2 near3 (reliability or failure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 14:08
S104	3	"11334607"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 14:23

S105	105	current near transformer with series near capacitor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 16:33
S106	0	current near transformer with series near capacitor with chock	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 16:34
S107	0	current near transformer with series near capacitor same chock	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 16:35
S108	0	current near transformer with series near capacitor and chock	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 16:35
S109	105	current near transformer with series near capacitor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 16:35
S110	5	current near transformer with series near capacitor and communication	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 16:36
S111	25	current near transformer with (second secondary) near3 series near capacitor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 16:37
S112	23	"4,347,540"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 16:53

S113	31	"6,965,302"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 17:03
S114	11	"6,785,110"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 20:56
S115	1	11/500,259	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 21:00
S116	8	"6,285,235"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/13 11:54
S117	1	10/759,690	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/13 12:07
S118	54	"4,580,090"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/13 12:17
S119	13	"6,452,766"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/13 12:18
S120	5	10/458,608	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/13 12:19

S121	37	("2810105" "3068392" "3373344" "3460023" "3581187" "4001668" "4430608" "4521725" "4553082" "4580090" "4685046" "4733159" "4864482" "5105144" "5307257" "5469046" "5500575" "5646514" "5652825" "5773965" "5801933" "5818708" "5920183" "6061259" "6275395" "6320363" "6346778" "6452766" "6573693" "6667604" "6724157" "6828733" "6906477").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/01/13 12:19
S122	6	("5764041" "5831466" "5900724" "6184669" "6218816" "6265856").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/01/13 12:23
S123	0	capacitive near load with transistor with "dv/dt"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/13 12:25
S124	0	capacit\$3 near load with transistor with "dv/dt"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/13 12:25
S125	1	capacit\$3 near load same transistor with "dv/dt"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/13 12:25
S126	10	capacit\$3 near load same transistor same "dv/dt"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/13 12:26

S127	3	capacit\$3 near load same transistor and "dv/dt" with (switch\$3 turn\$3) adj off	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/13 12:53
S128	13	capacit\$3 near load same transistor and "dv/dt" same (switch \$3 turn\$3) adj off	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/13 12:55
S129	0	04-017513	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/13 13:02
S130	3	"04017513"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/13 13:02
S131	796	capacitive near load and (rate adj change or "dv/dt")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/13 13:27
S132	23	capacitive near load with rate adj change	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/13 13:27
S133	4	capacitive near load with rate adj change and (disconnect or switch adj off or interrupt\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/13 13:28
S134	4	capacitive near load with over adj current near protect\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/13 13:32

S135	52	capacitive near load same rate near change	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/13 13:34
S136	1	capacitive near load same rate near change and over adj current	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/13 13:35
S137	41774	capacitive near load same rate near change and over adj current or overcurrent or over- current	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/13 13:35
S138	3	capacitive near load same rate near change and (over adj current or overcurrent or over- current)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/13 13:35
S139	1821	rate near change and (over adj current or overcurrent or over- current)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/13 13:37
S140	224	rate near change same (over adj current or overcurrent or over- current)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/13 13:37
S141	5	rate near change same (over adj current or overcurrent or over- current) and capacit\$3 near load	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/13 13:37
S142	126	rate near change same (over adj current or overcurrent or over- current) and (switch\$3 adj off or interrupt\$3 or turn\$3 adj off)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/13 13:45

S143	2	rate near change same (over adj current or overcurrent or over-current) and (switch\$3 adj off or interrupt\$3 or turn\$3 adj off) and (capacitor capacitive) near load	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/13 13:45
S144	8	"6,285,235"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/13 14:27
S145	95	rate near change with capacit\$3 with (disconnect\$3 or (switch\$3 turn\$3) adj off)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/13 14:37
S146	37	rate near change with capacit\$3 with (disconnect\$3 or (switch\$3 turn\$3) adj off) same transistor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/13 14:38
S147	10	"3202319"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/21 15:47
S148	7	"2831495"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/21 15:58
S149	955	361/93.1.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/21 16:37
S150	7	"5,988,977"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/21 20:25

S151	19	"5,998,977"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/21 20:25
S152	122	327/381.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/22 10:28
S153	259	257/175.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/22 11:58
S154	3	((dv/dt or rate near change) and capacitor and (sens\$3 detect\$3) and compar\$3 and (over adj current over- current overcurrent)). clm.	US-PGPUB	OR	OFF	2009/01/22 12:36

1/ 22/ 2009 12:40:22 PM

C:\ Documents and Settings\ zkitov\ My Documents\ EAST\ Workspaces\ 10,759,690.wsp